



COMMONWEALTH of VIRGINIA

Douglas W. Domenech
Secretary of Natural
Resources

DEPARTMENT OF ENVIRONMENTAL QUALITY
Blue Ridge Regional Office
www.deq.virginia.gov

David K. Paylor
Director

Robert J. Weld
Regional Director

Lynchburg Office
7705 Timberlake Road
Lynchburg, Virginia
24502
(434) 582-5120
Fax (434) 582-5125

JUL 10 2012

Roanoke Office
3019 Peters Creek Road
Roanoke, Virginia 24019
(540) 562-6700
Fax (540) 562-6725

W. Dennis Newton
Owner
Newton Mobile Home Court
P.O. Box 627
Buffalo Junction, VA 24529

**CERTIFIED MAIL
RETURN RECEIPT
REQUESTED**

Re: **Reissuance** of VPDES Permit No. **VA0062421**; Newton Mobile Home Court STP; Mecklenburg County, Virginia

Dear Mr. Newton:

Your finalized VPDES permit is enclosed. The first DMR required by this permit for monthly monitored parameters is due on August 10, 2012 for the period of July 1 - July 31, 2012. If you still have DMR data to report as required by the previous permit please submit it as an attachment to the first DMR required by this permit. Monitoring results on the DMRs should be reported to the same number of significant digits as are included in the permit limit for the parameter.

DEQ has launched an e-DMR program that allows you to submit the effluent data electronically. We expect every permittee to use e-DMR as permits are reissued, and exceptions will only be granted on a case-by-case basis. There are many benefits to both DEQ and the permittee when e-DMR is utilized for submissions:

- Fewer revisions for data since the e-DMR program automatically flags omissions before the data are submitted;
- Cost savings on postage, copying and paper;
- No concerns about using the most current DMR - e-DMR refreshes the required parameters automatically when changes are needed;
- Submittals can be made on a timelier basis; and
- Electronic signatures from multiple people are allowed and e-DMR can be accessed from multiple computer locations.

Hard copies of the DMRs are not enclosed; however, an electronic DMR is available through e-DMR. If you have not already done so, please register for e-DMR participation now in order for the e-DMR application to be processed prior to the first DMR due date for this modification, and to avoid non-compliance with the permit reporting requirements. You may contact our regional e-DMR administrator, Peggy Barbour, at (434) 582-6203 or peggy.barbour@deq.virginia.gov for further assistance. You may also visit the following website for additional details regarding the e-DMR system:
<http://www.deq.virginia.gov/water/edmrfaq.html>.

As provided by Rule 2A:2 of the Supreme Court of Virginia, you have thirty days from the date of service (the date you actually received this decision or the date it was mailed to you, whichever occurred first) within which to appeal this decision by filing a notice of appeal in accordance with the Rules of the Supreme Court of Virginia with the Director, Department of Environmental Quality. In the event that this decision is served on you by mail, three days are added to that period.

Alternatively, any owner under §§ 62.1-44.16, 62.1-44.17 and 62.1-44.19 of the State Water Control Law aggrieved by any action of the State Water Control Board taken without a formal hearing, or by inaction of the Board, may demand in

writing a formal hearing of such owner's grievance, provided a petition requesting such hearing is filed with the Board. Said petition must meet the requirements set forth in 9 VAC 25-230-130 (Procedural Rule No. 1 - Petition for formal hearing). In cases involving actions of the Board, such petition must be filed within thirty days after notice of such action is mailed to such owner by certified mail.

If you have any questions about the permit, please contact Leah Revelle at (434) 582-6219 or leah.revelle@deq.virginia.gov.

Sincerely,

A handwritten signature in blue ink, appearing to read "Robert J. Weld", is written above the printed name.

Robert J. Weld
Regional Director

Enclosure: Fact Sheet & VPDES Permit

Cc: OWPP (electronic copy)
EPA, Region III-3WP12 (electronic copy)
BRRO - L Compliance Auditor (electronic copy)



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

Permit No.: VA0062421
Effective Date: July 1, 2012
Expiration Date: June 30, 2017

AUTHORIZATION TO DISCHARGE UNDER THE VIRGINIA POLLUTANT DISCHARGE ELIMINATION SYSTEM

AND

THE VIRGINIA STATE WATER CONTROL LAW


In compliance with the provisions of the Clean Water Act as amended and pursuant to the State Water Control Law and regulations adopted pursuant thereto, the following owner is authorized to discharge in accordance with the effluent limitations, monitoring requirements, and other conditions set forth in this permit.

Owner: W. Dennis Newton
Facility Name: Newton Mobile Home Court
City: N/A
County: Mecklenburg
Facility Location: State Route 58, 5 miles west of Clarksville, VA

The owner is authorized to discharge to the following receiving stream:

Stream: UT, Little Buffalo Creek
River Basin: Roanoke River
River Subbasin: Roanoke River
Section: I
Class: III
Special Standards: PWS

The authorized discharge shall be in accordance with this cover page, Part I - Effluent Limitations and Monitoring Requirements and Part II - Conditions Applicable To All VPDES Permits, as set forth herein.



Robert J. Weld, Regional Director, Blue Ridge Regional Office

7/2/2012

Date